

Grades as of 17 December 2023.

Some students unexpectedly did not take the final. This might reflect confusion at the testing center. We are looking into it.

Each row starts with a CogLab ID for the student.

<b>CogLab ID</b>	<b>Letter Grade</b>	<b>Class grade</b>	<b>Exam 1</b>	<b>Exam 2</b>	<b>Exam 3</b>	<b>Exam 4</b>	<b>Final Exam</b>	<b>Attendance grade</b>	<b>CogLab grade</b>
Francis200F23-1	B-	81.10	68	76	71	82	77	100.0	100.0
Francis200F23-4	B	85.64	85	90	87	88	72	78.8	96.4
Francis200F23-5	F	44.07	25	42	15	26	44	78.8	89.3
Francis200F23-8	A	97.21	98	98	97	100	92	100.0	96.4
Francis200F23-9	C+	79.19	46	85	77	85	79	100.0	89.3
Francis200F23-11	F	55.78	34	50	69	26	47	84.8	89.3
Francis200F23-12	B-	80.95	58	83	71	86	75	100.0	100.0
Francis200F23-13	B	83.78	76	81	90	84	68	100.0	92.9
Francis200F23-15	B-	82.62	86	83	80	79	76	97.0	82.1
Francis200F23-16	A	93.96	91	97	96	100	90	100.0	85.7
Francis200F23-17	D	66.20	71	97	80	84		51.5	75.0
Francis200F23-18	B	86.67	86	86	85	92	82	97.0	82.1
Francis200F23-20	D+	68.35	73	66	87	90		97.0	75.0
Francis200F23-21	C+	78.98	46	90	80	85	66	100.0	92.9
Francis200F23-22	B-	82.13	64	90	95	84	82	97.0	67.9
Francis200F23-23	B	83.48	63	93	81	84	76	100.0	92.9
Francis200F23-24	B	85.75	85	83	80	78	79	100.0	100.0
Francis200F23-26	B	86.26	71	88	77	94	82	100.0	96.4
Francis200F23-27	F	50.95	24	41	46	71	48	78.8	57.1
Francis200F23-28	D+	68.09	86	50	83	79		100.0	89.3
Francis200F23-29	B	83.41	81	79	76	84	75	97.0	96.4
Francis200F23-30	D-	60.49	41	54	43	76	44	100.0	78.6
Francis200F23-32	B-	81.35	73	86	77	78	78	97.0	85.7
Francis200F23-33	C	77.33	61	73	84	72	66	100.0	92.9
Francis200F23-34	D	67.13	52	50	57	62	67	100.0	92.9
Francis200F23-35	B-	82.11	67	71	93	88	76	100.0	85.7
Francis200F23-36	B	87.91	71	92	91	77	92	100.0	96.4
Francis200F23-37	B-	81.21	41	91	90	85	82	100.0	85.7
Francis200F23-38	D	64.48	68	45	60	43	64	90.9	89.3
Francis200F23-39	A	96.55	96	97	97	97	90	100.0	100.0
Francis200F23-41	C-	71.71	45	50	84	69	67	100.0	96.4
Francis200F23-42	B	86.46	76	92	92	87	77	100.0	85.7
Francis200F23-43	F	49.30	26	31	30	23	52	100.0	100.0
Francis200F23-45	A	95.20	83	96	98	97	94	100.0	100.0
Francis200F23-46	C	73.21	62	80	62	87	68	75.8	78.6
Francis200F23-47	C	74.41	48	76	60	71	78	100.0	96.4
Francis200F23-49	A	96.40	90	96	97	95	98	100.0	100.0
Francis200F23-50	C-	70.06	28	86	56	71	63	100.0	96.4
Francis200F23-51	A-	90.46	89	88	86	85	92	100.0	96.4
Francis200F23-52	A	93.14	92	92	95	90	96	100.0	89.3
Francis200F23-53	D+	68.86	41	41	77	66	71	100.0	96.4
Francis200F23-54	B	83.63	74	88	77	86	73	100.0	92.9
Francis200F23-55	F	56.37	68	77	48	60	70	36.4	28.6
Francis200F23-56	A	94.06	90	93	94	98	89	100.0	96.4
Francis200F23-57	B+	88.45	88	90	82	84	79	100.0	100.0
Francis200F23-58	C-	71.18	61	69	65	59	61	100.0	92.9
Francis200F23-59	A	94.30	95	91	89	98	89	100.0	100.0
Francis200F23-61	C	77.84	54	57	89	88	75	100.0	89.3
Francis200F23-63	C	73.85	72	84	92	98		90.9	85.7
Francis200F23-64	F	52.49	36	49	44	73	47	12.1	92.9
Francis200F23-65	A	94.30	92	87	98	96	89	100.0	100.0
Francis200F23-67	A	97.88	95	100	100	100	98	100.0	92.9
Francis200F23-68	F	52.38	30	18	44	55	59	97.0	78.6
Francis200F23-69	A-	90.21	76	93	94	96	90	100.0	85.7
Francis200F23-71	D+	69.36	42	50	86	87	77	78.8	67.9
Francis200F23-73	A-	91.32	88	96	98	87	91	100.0	82.1
Francis200F23-74	B-	81.91	75	75	67	86	80	100.0	96.4
Francis200F23-75	D	65.24	35	62	54	71	57	100.0	89.3
Francis200F23-76	B	86.18	81	89	86	91	68	100.0	92.9
Francis200F23-77	C	77.77	80	87	79	72	70	93.9	67.9
Francis200F23-79	B	85.39	69	89	85	98	86	84.8	85.7

<b>CogLab ID</b>	<b>Letter Grade</b>	<b>Class grade</b>	<b>Exam 1</b>	<b>Exam 2</b>	<b>Exam 3</b>	<b>Exam 4</b>	<b>Final Exam</b>	<b>Attendance grade</b>	<b>CogLab grade</b>
Francis200F23-80	B+	89.31	85	95	98	88	77	100.0	85.7
Francis200F23-82	B-	80.92	74	64	92	91	67	87.9	92.9
Francis200F23-83	B-	82.49	63	80	79	92	80	100.0	89.3
Francis200F23-84	B	85.94	77	89	83	93	75	100.0	89.3
Francis200F23-85	B	87.44	83	92	71	94	87	100.0	89.3
Francis200F23-86	B	83.18	66	82	84	82	81	100.0	92.9
Francis200F23-87	C-	72.83	81	85	74	86		100.0	92.9
Francis200F23-89	D+	68.62	63	57	64	75	70	90.9	67.9
Francis200F23-90	C	75.44	62	72	80	71	66	93.9	89.3
Francis200F23-93	A	96.91	96	100	98	97	92	100.0	96.4
Francis200F23-94	C-	70.62	63	78	60	65	56	100.0	82.1
Francis200F23-95	B	85.49	75	79	86	92	82	100.0	89.3
Francis200F23-96	C-	72.96	44	74	71	79	66	100.0	85.7
Francis200F23-97	F	58.22	44	65	28	83	60	81.8	53.6
Francis200F23-98	A	96.85	91	98	100	96	94	100.0	100.0
Francis200F23-99	B	83.26	75	68	84	94	75	93.9	96.4
Francis200F23-101	A-	90.87	84	95	92	94	92	100.0	82.1
Francis200F23-102	A-	91.51	89	93	87	94	84	100.0	96.4
Francis200F23-103	B-	80.88	69	85	84	77	83	93.9	78.6
Francis200F23-104	C+	79.45	44	82	86	81	70	100.0	100.0
Francis200F23-105	A	95.41	79	97	100	100	97	100.0	96.4
Francis200F23-106	A	94.81	94	96	92	94	93	100.0	96.4
Francis200F23-107	A-	91.14	87	87	94	94	83	93.9	100.0
Francis200F23-108	B	86.56	76	84	87	87	80	100.0	96.4
Francis200F23-109	A-	91.11	80	94	96	95	90	100.0	85.7
Francis200F23-111	B	83.82	69	81	91	93	76	100.0	82.1
Francis200F23-112	C	77.64	56	70	69	92	68	93.9	100.0
Francis200F23-113	D	63.76	81	73	60	73		100.0	71.4
Francis200F23-114	D	64.67	54	44	59	88	76	84.8	53.6
Francis200F23-115	B	83.52	88	67	85	90	78	100.0	82.1
Francis200F23-116	C	77.75	75	78	83	68	66	93.9	85.7
Francis200F23-118	F	58.29	31	68	24	77	53	90.9	75.0
Francis200F23-119	F	41.66	57	24	78	26		90.9	32.1
Francis200F23-120	B+	89.41	68	89	98	96	82	100.0	96.4
Francis200F23-122	A-	91.58	85	89	94	94	89	100.0	92.9
Francis200F23-124	C-	71.62	42	69	77	79	64	69.7	100.0
Francis200F23-126	D	63.79	45	36	68	62	69	100.0	78.6
Francis200F23-128	D+	68.33	96	87	82	86		81.8	50.0
Francis200F23-129	A	93.91	96	90	91	94	92	100.0	96.4
Francis200F23-130	B	87.96	86	92	78	90	88	100.0	85.7
Francis200F23-131	B	84.74	56	94	88	95	76	100.0	89.3
Francis200F23-133	D	64.63	79	58	72	41	70	48.5	78.6
Francis200F23-134	B	84.40	58	84	88	81	85	100.0	100.0
Francis200F23-135	A-	92.35	77	92	94	98	88	100.0	100.0
Francis200F23-136	C-	72.89	52	79	88	52	59	100.0	89.3
Francis200F23-137	C	76.86	81	59	78	75	67	100.0	85.7
Francis200F23-138	B	83.84	87	82	72	90	72	100.0	89.3
Francis200F23-139	B+	89.84	88	88	92	92	83	100.0	89.3
Francis200F23-140	B	84.38	79	68	86	85	85	100.0	92.9
Francis200F23-141	D+	68.83	65	73	94	92	69	66.7	21.4
Francis200F23-145	F	59.60	51	48	77	75	64	48.5	50.0
Francis200F23-146	D+	69.15	67	80	58	76	59	63.6	78.6
Francis200F23-148	C	77.57	69	76	77	89	69	87.9	78.6
Francis200F23-149	A	94.21	87	99	97	94	90	97.0	96.4
Francis200F23-152	B-	82.10	49	91	86	92	81	93.9	85.7
Francis200F23-153	D	65.24	68	81	77	80		97.0	64.3
Francis200F23-155	F	54.03	31	31	44	61	50	97.0	78.6
Francis200F23-156	C-	70.56	68	75	79	96		100.0	85.7
Francis200F23-157	B	86.07	90	82	79	93	81	100.0	82.1
Francis200F23-159	A	93.55	83	96	92	100	86	100.0	100.0
Francis200F23-160	C-	72.08	59	70	61	85	71	100.0	67.9
Francis200F23-161	A-	90.53	84	94	94	94	78	100.0	92.9
Francis200F23-162	C	75.51	57	51	89	89	65	100.0	85.7
Francis200F23-163	B-	82.78	92	87	88	78	61	84.8	89.3
Francis200F23-164	C	77.56	83	75	74	48	74	100.0	96.4

<b>CogLab ID</b>	<b>Letter Grade</b>	<b>Class grade</b>	<b>Exam 1</b>	<b>Exam 2</b>	<b>Exam 3</b>	<b>Exam 4</b>	<b>Final Exam</b>	<b>Attendance grade</b>	<b>CogLab grade</b>
Francis200F23-165	C+	79.99	60	90	93	68	77	100.0	78.6
Francis200F23-167	B+	88.73	65	96	92	91	88	100.0	92.9
Francis200F23-168	F	41.32	29	42	70	43		51.5	57.1
Francis200F23-169	B-	80.97	82	89	78	69	73	100.0	82.1
Francis200F23-170	C	77.97	82	84	82	88	67	78.8	64.3
Francis200F23-171	C-	70.49	65	72	73	87	67	100.0	39.3
Francis200F23-172	D+	68.24	47	57	51	85	63	93.9	89.3
Francis200F23-173	A	93.46	97	91	96	93	83	100.0	96.4
Francis200F23-174	A-	91.60	94	90	86	90	84	100.0	100.0
Francis200F23-175	D-	62.54	47	81	75	69	55	54.5	53.6
Francis200F23-178	A-	92.97	91	96	96	91	97	100.0	82.1
Francis200F23-179	F	45.84	40	46	62	70		24.2	71.4
Francis200F23-181	F	52.70	50	40	39	66	56	27.3	82.1
Francis200F23-182	B+	88.08	87	96	94	92	77	93.9	78.6

<b>CogLab ID</b>	<b>Letter Grade</b>	<b>Class grade</b>	<b>Exam 1</b>	<b>Exam 2</b>	<b>Exam 3</b>	<b>Exam 4</b>	<b>Final Exam</b>	<b>Attendance grade</b>	<b>CogLab grade</b>
	Mean	78.39	68.8	77.2	78.9	81.7	75.3		
	Standard Deviation	13.18	19.2	18.4	17.0	15.9	12.6		
	Max	97.88	98.0	100.0	100.0	100.0	98.0		
	Min	41.32	24.0	18.0	15.0	23.0	44.0		
	A	30.00	19	43	42	54	20		
	B	46.00	33	39	39	38	30		
	C	29.00	21	21	29	25	36		
	D	20.00	26	10	13	12	27		
	F	15.00	41	27	17	11	15		