Grades as of 22 September 2023.
The estimated class grade supposes that your CogLab and attendance grades stay as they are now and that your score on the remaining exams is the same as your score on the first exam.
Attendance scores are high because few students have more than 6 absences through the 8 checks that we have so far (through September 11).
Each row starts with a CogLab ID for the student.

CogLab ID	Estimated Class Grade	Exam 1	CogLab grade	Apparent Motion (Due date: 18-Sep-2023 13:00)	Attentional Blink (Due date: 22-Sep-2023 13:00)	Blind Spot (Due date: 01-Sep-2023 13:00)	Brain Asymmetry (Due date: 25-Aug-2023 13:00)	Metacontrast Masking (Due date: 18-Sep-2023 13:00)	Muller-Lyer Illusion (Due date: 15-Sep-2023 13:00)	Simon Effect (Due date: 20-Sep-2023 13:00)	Visual Search (Due date: 22-Sep-2023 13:00)	Attendance grade	21-Aug	23-Aug	25-Aug	28-Aug	30-Aug	1-Sep	6-Sep	8-Sep	11-Sep
Francis200F23-1	76.0	68	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-2	53.1	40	87.5	1	1	1	1	1	1	0	1	100.0	1	1	1	1	1	-1	-1	-1	1
Francis200F23-3	52.0	36	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-4	86.9	85	87.5	1	1	0	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	1	1
Francis200F23-5	41.9	25	87.5	1	1	1	1	1	1	0	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-7	61.0	53	75	1	1	1	1	0	1	0	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-8	98.5	98	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-9	57.6	46	87.5	1	1	1	1	1	1	0	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-10	59.5	46	100	1	1	1	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	-1	1
Francis200F23-11	50.5	34	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	-1	-1	1
Francis200F23-12	68.5	58	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	-1	1
Francis200F23-13	80.1	76	87.5	1	1	1	1	1	1	0	1	100.0	1	1	1	1	1	1	-1	1	1
Francis200F23-14	39.6	27	62.5	0	1	1	1	0	1	1	0	100.0	1	1	1	1	1	1	1	1	-1
Francis200F23-15	82.0	86	50	1	0	1	1	1	0	0	0	100.0	1	1	1	1	1	1	1	1	-1
Francis200F23-16	89.5	91	75	1	1	0	1	1	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-17	74.5	71	75	0	1	1	1	0	1	1	1	100.0	1	1	1	1	1	-1	1	-1	1
Francis200F23-18	89.5	86	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-19	35.1	26	37.5	0	1	0	1	0	0	1	0	100.0	1	1	1	-1	-1	-1	1	-1	1
Francis200F23-20	74.1	73	62.5	1	0	1	1	0	1	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-21	57.6	46	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-22	69.3	64	75	1	0	1	1	1	1	1	0	100.0	1	1	1	1	1	1	1	1	-1
Francis200F23-23	68.5	63	75	1	0	1	1	1	1	1	0	100.0	1	1	1	-1	1	1	1	1	1
Francis200F23-24	88.8	85	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-25	41.5	22	100	1	1	1	1	1	1	1	1	100.0	-1	1	1	1	1	1	1	-1	1
Francis200F23-26	78.3	71	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	-1	-1	1	1	1
Francis200F23-27	35.5	24	50	0	1	0	1	0	0	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-28	89.5	86	100	1	1	1	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	1	1
Francis200F23-29	85.8	81	100	1	1	1	1	1	1	1	1	100.0	-1	1	1	1	1	1	1	-1	1
Francis200F23-30	48.3	41	50	1	0	0	1	1	0	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-32	77.9	73	87.5	1	1	1	1	0	1	1	1	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-33	70.8	61	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-34	64.0	52	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-35	71.5	67	75	1	1	1	1	1	0	0	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-36	78.3	71	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-37	53.9	41	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-38	74.1	68	87.5	1	1	1	1	0	1	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-39	97.0	96	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-40	61.8	49	100	1	1	1	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	1	1
Francis200F23-41	56.9	45	87.5	1	0	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-42	82.0	76	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	-1	-1	1
Francis200F23-43	44.5	26	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-44	80.5	74	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	-1	-1	1	1	1
Francis200F23-45	87.3	83	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-46	65.9	62	62.5	1	0	1	1	1	0	1	0	100.0	1	1	1	1	1	-1	-1	1	-1
Francis200F23-47	61.0	48	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-48	41.1	34	37.5	0	0	1	1	0	1	0	0	100.0	1	1	1	1	1	-1	1	-1	1
Francis200F23-49	92.5	90	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-50	46.0	28	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-51	91.8	89	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-52	92.1	92	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	-1	1	1
Francis200F23-53	55.8	41	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-54	78.6	74	87.5	1	1	1	1	1	1	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-55	68.5	68	50	0	1	0	1	1	0	0	1	100.0	1	1	-1	-1	1	1	-1	-1	1
Francis200F23-56	92.5	90	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	-1	1
Francis200F23-57	91.0	88	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-58	67.0	61	75	1	0	1	1	1	1	1	0	100.0	-1	1	1	1	-1	1	1	1	1
Francis200F23-59	96.3	95	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1

Francis200F23-60	52.4	39	87.5	1	1	1	1	1	1	0	1	100.0	1	1	1	-1	1	1	1	1	1
Francis200F23-61	63.6	54	87.5	1	1	1	1	1	1	0	1	100.0	1	1	1	1	-1	1	1	1	1
Francis200F23-62	38.5	23	75	1	0	1	1	1	1	1	0	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-63	79.0	72	100	1	1	1	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	1	1
Francis200F23-64	48.3	36	75	0	1	1	1	0	1	1	1	100.0	1	-1	1	1	-1	-1	-1	-1	-1
Francis200F23-65	94.0	92	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-66	49.0	37	75	0	1	1	1	0	1	1	1	100.0	1	1	1	1	1	1	-1	-1	1
Francis200F23-67	96.3	95	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-68	38.1	30	37.5	0	0	1	1	0	0	1	0	100.0	1	1	-1	1	-1	1	1	1	1
Francis200F23-69	74.5	76	50	0	1	0	1	0	1	0	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-71	49.0	42	50	0	1	1	1	0	0	0	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-72	57.6	46	87.5	1	1	1	1	0	1	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-73	87.3	88	75	1	0	1	1	1	1	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-74	79.4	75	87.5	1	1	1	1	1	1	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-75	51.3	35	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	1	-1
Francis200F23-76	85.8	81	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-77	85.0	80	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-78	62.5	50	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-79	74.9	69	87.5	1	1	1	1	1	1	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-80	85.0	85	75	0	1	1	1	0	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-82	78.6	74	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-83	68.5	63	75	1	0	1	1	1	1	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-84	80.9	77	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-85	85.4	83	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-86	74.5	66	100	1	1	1	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	1	1
Francis200F23-87	83.9	81	87.5	1	1	1	1	0	1	1	1	100.0	1	1	-1	1	1	-1	1	1	1
Francis200F23-88	64.0	52	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-89	72.3	63	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-90	69.6	62	87.5	1	1	1	1	0	1	1	1	100.0	1	1	1	-1	1	1	1	1	1
Francis200F23-91	70.8	61	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-92	77.5	70	100	1	1	1	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	1	1
Francis200F23-93	97.0	96	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-94	68.5	63	75	1	0	1	1	1	1	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-95	77.5	75	75	0	1	1	1	0	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-96	56.1	44	87.5	1	1	1	1	1	0	1	1	100.0	-1	1	1	1	1	1	1	-1	1
Francis200F23-97	50.5	44	50	0	0	1	1	0	1	1	0	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-98	93.3	91	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-99	81.3	75	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	1	-1
Francis200F23-100	37.4	19	87.5	1	1	1	1	1	1	0	1	100.0	1	1	-1	1	1	-1	1	1	1
Francis200F23-101	88.0	84	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-102	91.8	89	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-103	73.0	69	75	0	1	1	1	0	1	1	1	100.0	1	1	1	-1	1	1	1	-1	1
Francis200F23-104	58.0	44	100	1	1	1	1	1	1	1	1	100.0	-1	1	1	1	1	1	1	1	1
Francis200F23-105	83.5	78	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-106	95.5	94	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-107	90.3	87	100	1	1	1	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	-1	1
Francis200F23-108	80.1	76	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-109	83.1	80	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-110	46.0	28	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	-1	1	1	1	1
Francis200F23-111	74.9	69	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	-1
Francis200F23-112	67.0	56	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-113	78.3	81	50	0	1	1	1	0	1	0	0	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-114	56.1	54	37.5	0	1	1	1	0	0	0	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-115	89.1	88	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-116	79.4	75	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-117	42.3	23	100	1	1	1	1	1	1	1	1	100.0	1	1	-1	1	1	1	1	1	1
Francis200F23-118	40.8	31	50	1	0	0	1	1	0	1	0	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-119	62.1	57	62.5	1	0	1	1	1	1	0	0	100.0	1	1	-1	1	1	1	1	1	1
Francis200F23-120	74.1	68	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	-1	1	1	1	1	1
Francis200F23-121	56.9	55	37.5	1	0	1	1	0	0	0	0	100.0	1	1	-1	1	1	-1	1	1	-1
Francis200F23-122	88.8	85	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-124	53.2	42	100	1	1	1	1	1	1	1	1	66.7	1	1	-1	-1	-1	-1	-1	-1	-1
Francis200F23-125	35.1	21	62.5	1	0	1	1	1	1	0	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-126	51.3	45	50	0	1	0	1	0	1	0	1	100.0	1	1	-1	1	1	1	1	-1	1
Francis200F23-127	65.9	57	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-128	87.6	96	37.5	0	0	1	1	0	0	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-129	97.0	96	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-130	87.6	86	87.5	1	1	1	1	1	1	0	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-131	63.3	56	75	0	1	1	1	0	1	1	1	100.0	1	1	1	1	1	1	1	1	1

Francis200F23-132	61.4	51	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	-1	-1	1
Francis200F23-133	82.4	79	87.5	1	1	1	1	1	1	0	1	100.0	-1	-1	1	-1	-1	1	1	-1	-1
Francis200F23-134	68.5	58	100	1	1	1	1	1	1	1	1	100.0	1	-1	1	1	1	-1	1	1	1
Francis200F23-135	82.8	77	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-136	60.3	52	75	1	1	1	1	1	0	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-137	82.0	81	75	0	1	1	1	0	1	1	1	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-138	88.4	87	87.5	1	1	1	1	0	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-139	91.0	88	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-140	84.3	79	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-141	64.4	65	37.5	0	0	0	1	0	1	1	0	100.0	1	1	1	1	1	1	-1	-1	1
Francis200F23-142	43.0	29	75	1	0	1	1	1	1	1	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-143	60.3	62	25	0	0	1	1	0	0	0	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-145	52.0	51	25	0	0	0	1	0	1	0	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-146	69.6	67	62.5	1	0	1	1	0	1	1	0	100.0	1	1	1	-1	1	1	-1	1	1
Francis200F23-147	62.5	60	50	0	0	1	1	0	1	1	0	100.0	1	1	-1	1	1	-1	1	-1	1
Francis200F23-148	69.3	69	50	0	1	0	1	1	0	1	0	100.0	1	1	1	1	1	-1	1	-1	1
Francis200F23-149	90.3	87	100	1	1	1	1	1	1	1	1	100.0	-1	1	1	1	1	1	1	-1	1
Francis200F23-150	61.4	66	12.5	0	0	0	1	0	0	0	0	100.0	1	1	1	1	1	-1	-1	1	1
Francis200F23-151	58.0	44	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-152	59.9	49	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	-1	1	-1	1
Francis200F23-153	68.5	68	50	1	0	0	1	0	1	1	0	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-155	44.5	31	75	1	1	0	1	1	0	1	1	100.0	1	1	1	1	1	-1	1	1	1
Francis200F23-156	72.3	68	75	1	1	0	1	1	0	1	1	100.0	1	1	1	1	1	1	1	-1	1
Francis200F23-157	88.8	90	75	1	1	1	1	0	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-158	64.0	62	50	1	0	1	1	1	0	0	0	100.0	-1	-1	-1	-1	1	1	1	1	1
Francis200F23-159	87.3	83	100	1	1	1	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-160	63.6	59	62.5	0	1	0	1	0	1	1	1	100.0	1	1	1	1	1	1	1	1	-1
Francis200F23-161	84.3	84	75	1	0	1	1	1	1	1	0	100.0	-1	1	1	1	1	1	1	1	1
Francis200F23-162	65.9	57	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-163	92.1	92	87.5	1	1	1	1	1	0	1	1	100.0	-1	1	1	1	1	-1	1	-1	1
Francis200F23-164	85.4	83	87.5	1	1	1	0	1	1	1	1	100.0	-1	-1	1	1	1	1	1	1	1
Francis200F23-165	66.3	60	75	1	1	1	0	1	0	1	1	100.0	1	1	1	1	1	1	-1	1	1
Francis200F23-166	42.3	33	50	0	1	1	1	0	0	1	0	100.0	-1	1	1	1	1	-1	1	1	1
Francis200F23-167	71.9	65	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-168	41.1	29	62.5	1	1	1	1	1	0	0	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-169	84.6	82	87.5	1	1	1	1	1	0	1	1	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-170	79.0	82	50	1	0	0	1	1	0	1	0	100.0	1	1	-1	1	1	-1	1	1	1
Francis200F23-171	60.6	65	12.5	0	0	0	1	0	0	0	0	100.0	1	1	1	1	1	1	1	1	1
Francis200F23-172	54.6	47	62.5	0	1	1	1	0	1	1	0	100.0	-1	1	1	1	1	1	1	1	-1
Francis200F23-173	95.9	97	87.5	1	1	1	1	1	0	1	1	100.0	-1	1	1	1	1	1	1	1	1
Francis200F23-174	93.3	91	100	1	1	1	1	1	1	1	1	100.0	-1	1	1	1	1	1	1	1	1
Francis200F23-175	58.4	47	87.5	1	1	0	1	1	1	1	1	100.0	1	1	1	-1	1	-1	1	1	-1
Francis200F23-177	47.5	35	75	1	1	1	0	1	0	1	1	100.0	0	0	1	1	-1	-1	-1	-1	1
Francis200F23-178	87.6	91	62.5	1	1	1	0	0	1	0	1	100.0	0	0	0	1	1	1	1	1	1
Francis200F23-179	49.4	40	62.5	1	0	1	0	1	1	1	0	100.0	0	1	1	1	-1	-1	-1	-1	-1
Francis200F23-181	55.4	50	75	1	1	0	0	1	1	1	1	66.7	-1	-1	-1	-1	-1	-1	1	1	-1
Francis200F23-182	84.6	87	62.5	1	1	0	0	1	1	0	1	100.0	0	0	0	0	0	0	1	1	1

CogLab ID	Estimated Class Grade	Exam 1	CogLab grade	Apparent Motion (Due date: 18-Sep-2023 13:00)	Attentional Blink (Due date: 22-Sep-2023 13:00)	Blind Spot (Due date: 01-Sep-2023 13:00)	Brain Asymmetry (Due date: 25-Aug-2023 13:00)	Metacontrast Masking (Due date: 18-Sep-2023 13:00)	Muller-Lyer Illusion (Due date: 15-Sep-2023 13:00)	Simon Effect (Due date: 20-Sep-2023 13:00)	Visual Search (Due date: 22-Sep-2023 13:00)	Attendance grade	21-Aug	23-Aug	25-Aug	28-Aug	30-Aug	1-Sep	6-Sep	8-Sep	11-Sep
Mean	70.1	63.9	81.4	0.8	0.8	0.8	1.0	0.8	0.8	0.8	0.7	99.6									
Standard Deviation	16.8	21.1	20.8																		
Max	98.5	98.0	100.0																		
Min	35.1	19.0	12.5																		
A	21	19	64																		
B	39.0	33.0	43.0																		
C	28.0	23.0	27.0																		
D	35.0	31.0	12.0																		
F	50	67	27																		