

Grades as of December 5, 2024.

Attendance grades are up to November 25. The CogLab grade is complete.

The estimated grade supposed that your score on the final is the average of Exams 1, 2, 3, and 4. It takes into account the averaging of Exam 1 and Exam 4, if checked.

Some students did not take an exam, but have not dropped the class. They have a blank for those missed exams.

CogLab ID	Estimated Grade	Exam 1 %	Exam 2 %	Exam 3 %	Exam 4 %	Checked	Attendance	Attendance %	CogLab %
						box on Exam 4	(Max 35 points)		
Francis200F24-2	79.16	71	65	81	89	0	29	100.0	78.57
Francis200F24-3	67.69	78	43	74	67	0	15	51.7	89.29
Francis200F24-4	61.79	59	31	59	58	1	28	96.6	89.29
Francis200F24-8	75.89	64	64	73	79	0	35	100.0	89.29
Francis200F24-9	90.44	80	87	81	95	1	33	100.0	100.00
Francis200F24-10	89.15	75	90	84	90	1	29	100.0	96.43
Francis200F24-12	88.09	81	88	87	92	1	25	86.2	89.29
Francis200F24-13	85.28	75	77	85	92	1	32	100.0	82.14
Francis200F24-14	76.12	46	65	74	88	1	32	100.0	78.57
Francis200F24-15	82.46	81	72	83	79	0	34	100.0	89.29
Francis200F24-16	93.01	84	88	90	98	1	34	100.0	96.43
Francis200F24-17	72.77	61	75	75	75	0	26	89.7	67.86
Francis200F24-18	93.25	84	85	90	99	1	29	100.0	100.00
Francis200F24-19	83.46	67	56	84	94	1	33	100.0	100.00
Francis200F24-20	94.94	87	89	96	97	1	33	100.0	100.00
Francis200F24-21	65.49	91	82	84		0	16	55.2	57.14
Francis200F24-23	79.32	47	76	85	82	1	33	100.0	82.14
Francis200F24-24	73.75	73	51	75	71	1	24	82.8	100.00
Francis200F24-26	50.93	72	35	50	47	0	30	100.0	17.86
Francis200F24-29	55.21	71	27	47	59	0	30	100.0	46.43
Francis200F24-30	71.96	71	45	71	72	0	32	100.0	89.29
Francis200F24-31	83.06	66	73	91	88	1	32	100.0	78.57
Francis200F24-32	49.98	57	34	58		0	32	100.0	67.86
Francis200F24-33	62.31	42	43	77	66	1	22	75.9	67.86
Francis200F24-34	86.26	84	75	85	97	0	35	100.0	82.14
Francis200F24-35	72.54	62	63	64	72	1	29	100.0	85.71
Francis200F24-36	92.58	74	88	95	95	1	34	100.0	100.00
Francis200F24-37	90.63	79	85	86	94	1	32	100.0	100.00
Francis200F24-38	84.00	71	67	82	92	1	34	100.0	92.86
Francis200F24-39	84.12	83	66	75	93	1	34	100.0	92.86
Francis200F24-40	85.98	66	74	87	89	1	35	100.0	100.00
Francis200F24-41	40.88	61	55			0	18	62.1	57.14
Francis200F24-42	73.55	72	58	76	85	0	24	82.8	71.43
Francis200F24-43	85.43	81	69	93	85	0	33	100.0	92.86
Francis200F24-44	87.61	54	92	85	91	1	34	100.0	96.43
Francis200F24-45	74.09	54	65	61	80	1	32	100.0	89.29
Francis200F24-46	86.02	85	81	86	82	0	32	100.0	89.29
Francis200F24-47	85.99	86	86	90	89	0	35	100.0	67.86
Francis200F24-48	92.50	89	82	94	95	0	29	100.0	100.00
Francis200F24-49	65.99	75	32	76	54	0	19	65.5	100.00
Francis200F24-50	59.65	66	66	65		0	23	79.3	82.14
Francis200F24-51	97.56	94	96	99	98	0	34	100.0	100.00
Francis200F24-52	82.08	67	59	82	88	1	30	100.0	100.00
Francis200F24-53	91.05	89	90	84	95	0	30	100.0	92.86
Francis200F24-54	71.50	52	61	54	81	0	32	100.0	100.00
Francis200F24-55	70.34	59	41	59	76	1	31	100.0	100.00
Francis200F24-56	90.63	87	82	87	94	0	33	100.0	100.00
Francis200F24-57	87.78	80	72	86	92	1	33	100.0	100.00
Francis200F24-58	86.96	85	74	87	93	0	35	100.0	89.29
Francis200F24-59	79.40	87	71	84	89	0	13	44.8	85.71
Francis200F24-60	82.38	83	72	75	96	0	31	100.0	75.00
Francis200F24-61	73.58	61	46	73	78	1	33	100.0	92.86
Francis200F24-63	85.11	85	80	82	85	0	31	100.0	85.71
Francis200F24-64	88.87	88	77	87.5	91	0	32	100.0	96.43
Francis200F24-66	61.60	66	33	54	49	1	31	100.0	100.00
Francis200F24-67	84.12	62	72	83	92	1	32	100.0	92.86
Francis200F24-68	69.54	68	41	58	78	1	29	100.0	85.71
Francis200F24-69	81.50	81	55	86	90	1	30	100.0	82.14
Francis200F24-70	83.06	68	75	82	86	1	34	100.0	89.29
Francis200F24-71	77.73	62	60	84	85	1	28	96.6	78.57
Francis200F24-72	84.78	74	71	83	86	1	34	100.0	100.00
Francis200F24-73	91.19	84	80	93	96	0	35	100.0	100.00
Francis200F24-74	87.31	73	83	74	96	1	31	100.0	96.43
Francis200F24-75	80.15	71	62	87	77	0	35	100.0	96.43
Francis200F24-76	65.39	56	53	55	60	0	33	100.0	89.29
Francis200F24-77	90.52	87	76	94	97	1	31	100.0	89.29
Francis200F24-79	85.99	77	70	86	92	1	32	100.0	92.86

CogLab ID	Estimated Grade	Exam1 %	Exam 2 %	Exam 3 %	Exam 4 %	Checked	Attendance	Attendance %	CogLab %
						box on Exam 4	(Max 35 points)		
Francis200F24-80	92.69	88	90	88	95	0	33	100.0	100.00
Francis200F24-81	84.35	77	77	83	89	1	33	100.0	82.14
Francis200F24-82	77.74	59	40	79	94	1	28	96.6	96.43
Francis200F24-83	86.03	75	73	93	92	1	32	100.0	82.14
Francis200F24-84	64.85	47	26	66	68	1	31	100.0	96.43
Francis200F24-85	86.15	83	70	86	90	0	34	100.0	96.43
Francis200F24-86	92.16	88	81	90	96	1	33	100.0	100.00
Francis200F24-87	69.92	69	44	75	63	0	30	100.0	85.71
Francis200F24-88	81.38	69	64	82	85	1	34	100.0	92.86
Francis200F24-89	31.91	61	32			0	7	24.1	57.14
Francis200F24-90	78.63	72	61	67	86	0	31	100.0	100.00
Francis200F24-91	91.33	91	90	89	94	1	31	100.0	85.71
Francis200F24-92	69.89	53	51	67	77	0	34	100.0	89.29
Francis200F24-94	79.59	71	61	77	81	1	30	100.0	96.43
Francis200F24-95	87.36	82	79	91	92	0	34	100.0	85.71
Francis200F24-97	81.46	87	71	75	91	0	31	100.0	71.43
Francis200F24-98	75.97	83	36	83	94	1	31	100.0	64.29
Francis200F24-99	86.05	66	75	92	85	1	34	100.0	100.00
Francis200F24-100	49.17	57	57	48	0	0	16	55.2	75.00
Francis200F24-101	76.20	48	46	78	90	1	29	100.0	92.86
Francis200F24-102	85.40	51	81	86	91	1	35	100.0	96.43
Francis200F24-103	82.34	73	74	85	94	1	31	100.0	64.29
Francis200F24-104	87.52	82	85	82	96	1	31	100.0	78.57
Francis200F24-105	85.00	87	67	76	90	0	35	100.0	100.00
Francis200F24-106	94.19	91	95	85	96	1	34	100.0	100.00
Francis200F24-107	69.41	87	68	82	0	0	25	86.2	89.29
Francis200F24-108	89.62	84	81	93	92	1	34	100.0	89.29
Francis200F24-109	44.30	31	24	28	40	1	27	93.1	75.00
Francis200F24-110	84.94	75	66	89	97	1	28	96.6	82.14
Francis200F24-112	65.99	47	43	63	67	1	27	93.1	92.86
Francis200F24-114	82.63	68	64	78	91	1	31	100.0	96.43
Francis200F24-115	77.67	74	69	67	82	1	33	100.0	82.14
Francis200F24-116	92.18	86	92	92	94	0	35	100.0	92.86
Francis200F24-117	63.79	43	44	49	67	1	34	100.0	92.86
Francis200F24-118	79.78	74	68	77	76	0	32	100.0	96.43
Francis200F24-119	34.45	46	34	27	0	0	13	44.8	57.14
Francis200F24-120	90.22	81	90	82	97	1	34	100.0	89.29
Francis200F24-121	86.47	89	81	84	91	0	32	100.0	78.57
Francis200F24-122	39.01	57	42			0	19	65.5	67.86
Francis200F24-123	78.68	61	59	76	86	1	33	100.0	92.86
Francis200F24-124	76.08	71	71	81	78	0	32	100.0	64.29
Francis200F24-126	81.98	83	75	88	72	0	26	89.7	89.29
Francis200F24-127	67.39	74	73	73	0	0	32	100.0	89.29
Francis200F24-128	58.17	39	48	69	51	1	24	82.8	67.86
Francis200F24-129	65.17	49	54	73	84	0	15	51.7	75.00
Francis200F24-130	78.09	51	60	88	91	1	31	100.0	71.43
Francis200F24-131	89.77	75	84	92	95	1	34	100.0	89.29
Francis200F24-132	89.99	81	84	91	94	1	33	100.0	89.29
Francis200F24-133	84.38	80	85	76	87	1	26	89.7	89.29
Francis200F24-134	58.06	68	40	68	0	0	34	100.0	85.71
Francis200F24-135	70.97	55	47	52	89	1	30	100.0	85.71
Francis200F24-136	82.62	75	76	79	83	0	30	100.0	92.86
Francis200F24-137	74.55	60	43	72	85	1	34	100.0	92.86
Francis200F24-138	47.33	73	63			0	19	65.5	67.86
Francis200F24-139	82.70	93	77	95	84	0	19	65.5	71.43
Francis200F24-140	94.03	98	85	92	96	0	29	100.0	96.43
Francis200F24-141	51.35	75	69			0	13	44.8	96.43
Francis200F24-142	68.05	63	32	68	73	1	28	96.6	89.29
Francis200F24-143	89.19	83	84	84	91	1	34	100.0	96.43
Francis200F24-144	67.19	49	45	70	78	1	29	100.0	64.29
Francis200F24-146	87.03	80	82	82	91	1	32	100.0	89.29
Francis200F24-147	79.87	76	54	69	94	1	28	96.6	92.86
Francis200F24-148	90.64	79	88	93	91	1	35	100.0	92.86
Francis200F24-149	81.41	61	73	88	86	1	32	100.0	78.57
Francis200F24-150	84.68	93	65	80	86	0	30	100.0	92.86
Francis200F24-151	85.43	53	78	91	97	1	31	100.0	82.14
Francis200F24-152	70.99	63	54	68	86	0	30	100.0	67.86
Francis200F24-153	68.88	54	39	63	78	0	30	100.0	100.00
Francis200F24-154	71.44	56	63	72	83	0	24	82.8	78.57
Francis200F24-155	75.30	75	71	85	90	0	5	17.2	89.29
Francis200F24-156	81.65	69	83	80	93	0	32	100.0	71.43

CogLab ID	Estimated Grade	Exam 1 %	Exam 2 %	Exam 3 %	Exam 4 %	Checked	Attendance	Attendance %	CogLab %
						box on Exam 4	(Max 35 points)		
Francis200F24-157	82.67	71	81	86	84	1	23	79.3	89.29
Francis200F24-158	76.39	76	78	80	83	1	29	100.0	42.86
Francis200F24-159	94.60	84	93	92	97	1	34	100.0	100.00
Francis200F24-161	84.09	65	76	87	89	1	32	100.0	85.71
Francis200F24-162	90.84	81	94	81	98	0	34	100.0	96.43
Francis200F24-163	90.04	77	87	89	93	1	26	89.7	100.00
Francis200F24-164	83.51	76	64	95	89	1	33	100.0	78.57
Francis200F24-165	94.51	85	90	94	99	1	35	100.0	96.43
Francis200F24-168	86.58	84	68	80	99	1	32	100.0	89.29
Francis200F24-169	76.05	69	54	85	70	0	32	100.0	92.86
Francis200F24-170	67.19	75	47	63	78	1	17	58.6	78.57
Francis200F24-171	78.33	76	58	70	89	0	29	100.0	89.29
Francis200F24-172	85.29	71	89	84	92	1	33	100.0	71.43
Francis200F24-175	71.93	67	57	81	63	1	28	96.6	82.14
Francis200F24-176	75.49	46	62	72	81	1	31	100.0	92.86
Francis200F24-177	71.36	47	58	73	69	1	33	100.0	89.29
Francis200F24-180	87.49	82	80	74	97	1	33	100.0	92.86
Francis200F24-181	83.10	87	59	90	91	0	33	100.0	78.57
Francis200F24-182	52.82	50	52	53	53	0	26	89.7	85.71
Francis200F24-183	81.60	75	82	79	88	1	25	86.2	75.00
Francis200F24-184	90.93	76	82	91	95	1	35	100.0	100.00
Francis200F24-186	92.98	94	85	96	99	0	31	100.0	85.71
Francis200F24-187	46.05	50	46	59	59	0	25	86.2	42.86
Francis200F24-188	74.18	75	69	68	75	1	28	96.6	71.43
Francis200F24-190	93.36	85	97	95	95	1	32	100.0	85.71
Francis200F24-191	54.90	52	57	60	60	0	27	93.1	78.57
Francis200F24-192	92.11	84	94	92	97	1	32	100.0	82.14
Francis200F24-193	86.77	73	72	92	93	1	34	100.0	89.29
Francis200F24-194	79.61	74	83	80.5	82	1	31	100.0	60.71
Francis200F24-195	60.46	46	51	79	88	1	18	62.1	10.71
Francis200F24-196	78.72	55	64	70.5	85	1	32	100.0	100.00
Francis200F24-197	84.68	79	78	77	93	1	32	100.0	82.14
Francis200F24-198	85.48	69	80	91	95	1	29	100.0	71.43
Francis200F24-200	37.12	29	22	31	39	0	17	58.6	57.14
Francis200F24-201	26.92	57	15			0	14	48.3	39.29
Francis200F24-202	75.76	79	68	66	92	0	30	100.0	57.14
Francis200F24-203	90.01	92	91	87	91	0	30	100.0	82.14
Francis200F24-204	88.63	76	92	76	98	1	32	100.0	85.71
Francis200F24-205	53.30	75		61	61	0	27	93.1	89.29
Francis200F24-206	68.77	52	57	59	82	1	31	100.0	64.29
Francis200F24-207	82.68	76	65	86	92	1	24	82.8	89.29
Francis200F24-208	96.25	91	95	95	99	0	31	100.0	100.00
Francis200F24-209	68.02	73	51	79	54	0	28	96.6	67.86
Francis200F24-210	37.65	37	32	26	26	0	23	79.3	71.43
Francis200F24-211	75.56	43	60	65	91	1	34	100.0	89.29
Francis200F24-212	60.13	45	39	75	70	1	18	62.1	60.71
Francis200F24-214	67.82	49	46	65	71	1	29	100.0	85.71
Francis200F24-215	42.85	43	35	52	52	0	24	82.8	57.14
Francis200F24-216	20.42	37	17	33	33	0	1	3.4	17.86
Francis200F24-217	81.57	53	66	78	94	1	33	100.0	92.86
Francis200F24-221	74.26	61	59	71	85	1	29	100.0	71.43
Francis200F24-222	51.62	62	42	54	45	0	16	55.2	53.57
Francis200F24-223	72.65	69	34	72	82	0	29	100.0	96.43
Francis200F24-224	64.03	44	37	75	66	1	26	89.7	78.57
Francis200F24-225	51.42	36	20	44	57	1	25	86.2	78.57
Francis200F24-226	69.00	45	46	58	93	1	27	93.1	71.43
Francis200F24-227	72.54	63	47	71	78	1	32	100.0	85.71
Francis200F24-229	65.28	51	32	72	85	1	25	86.2	60.71
Francis200F24-231	27.61	43	28			0	12	41.4	50.00
Francis200F24-232	84.59	75	75	92	96	1	30	100.0	64.29

CogLab ID	Estimated Grade	Exam 1 %	Exam 2 %	Exam 3 %	Exam 4 %	Checked	Attendance	Attendance %	CogLab %
						box on Exam 4	(Max 27 points)		
Mean	76.03	69.44	64.73	77.00	84.84			92.44	83.41
Standard deviation	15.12	14.90	19.20	14.22	12.58			16.68	16.00
Max	97.56	98.00	97.00	99.00	99.00			100.00	100.00
Min	20.42	29.00	15.00	26.00	39.00			3.45	10.71
A	30	10	17	35	84				
B	69	49	37	65	48				

CogLab ID	Estimated Grade	Exam1 %	Exam 2%	Exam 3%	Exam 4%	Checked box on Exam 4	Attendance (Max35 points)	Attendance %	CogLab %
C	45	53	37	46	23				
D	28	35	35	21	10				
F	26	51	71	24	11				